

# **ALFA Power**

Your Real Partner in China





 ***ALFA Power***

# Content

ROUND ELECTRIC HEATER	4	DRY ALUMINUM HEATER	18
ROUND ELECTRIC HEATER WITH PTC ELEMENT	5	ALUMINIUM CONVECTOR	19
SQUARE ELECTRIC HEATER	6	OIL HEATER	21-23
SQUARE ELECTRIC HEATER WITH PTC ELEMENT	7	OUTDOOR RADIANT HEATER GOLDEN TUBE	25
GAS HEATER	8	ELECTRIC PATIO HEATER	26
DIESEL DIRECT HEATER	11	OUTDOOR RADIANT HEATER QUARTZ TUBE	28
CONVECTOR HEATER	13-16	MUSHROOM STAND PATIO HEATER	29
CONVECTOR MICA MANUAL	17	MUSHROOM STAINLESS PATIO HEATER	30
CONVECTOR MICA WITH RC	17	SQUARE STAINLESS PATIO HEATER QUARTZ	31-32

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)



# ROUND ELECTRIC HEATER



MODEL	EH3-220R	EH5-380R	EH9-380R	EH15-380R	EH30-380R
• Power Supply (V/Hz)	230/50	380/50	380-400/50	380-400/50	380-400/50
• Rubber Cable (m)	1.5	1.5	1.5	1.5	1.5
• Output Power (W)	25/1500/3000	30/2500/5000	52/4500/9000	145/7500/15000	160/15000/30000
• Air Flow (m <sup>3</sup> /h)	386	411	742	1560	1880
• Heating Area (m <sup>2</sup> )	30	48	80	120	240
• With Thermostat Control	Yes	Yes	Yes	Yes	Yes
• Protection Class	IP24	IP24	IP24	IP24	IPX4

# ROUND ELECTRIC HEATER WITH PTC ELEMENT



MODEL	EH2-220R-PTC	EH3-220R-PTC	EH5-380R-PTC	EH9-380R-PTC
• Power Supply (V/Hz)	230/50	230/50	380-400/50	380-400/50
• Output Power (W)	25/1000/2000	25/1500/3000	50/3300/5000	80/6000/9000
• Air Flow (m <sup>3</sup> /h)	197	365	604	1482
• Heating Area (m <sup>2</sup> )	20	30	48	80
• With Thermostat Control	Yes	Yes	Yes	Yes
• Protection Class	IP20	IP20	IP20	IP20

# SQUARE ELECTRIC HEATER



MODEL	EH2-220S	EH3-220S	EH5-380S	EH9-380S	EH15-380S
• Power Supply (V/Hz)	230/50	230/50	380/50	400/50	400/50
• Output Power (W)	25/1000/2000	25/1500/3000	50/2500/5000	52/4500/9000	95/5000/10000/15000
• Air Flow (m <sup>3</sup> /h)	264	550	793	1198	2245
• Heating Area (m <sup>2</sup> )	20	30	48	80	120
• With Thermostat Control	Yes	Yes	Yes	Yes	Yes
• Protection Class	IP24	IP24	IP24	IP24	IP24



# SQUARE ELECTRIC HEATER WITH PTC ELEMENT



MODEL	EH2-220S-PTCA	EH3-220S-PTCA	EH2-220S-PTC	EH3-220S-PTC
• Power Supply (V/Hz)	230/50	230/50	230/50	230/50
• Output Power (W)	25/1000/2000	25/2000/3000	25/1000/2000	25/2000/3000
• Air Flow (m <sup>3</sup> /h)	118	310	241	307
• Heating Area (m <sup>2</sup> )	20	30	20	30
• With Thermostat Control	Yes	Yes	Yes	Yes
• Protection Class	IP20	IP20	IP20	IP20



# GAS HEATER



MODEL	GH-10	GH-15	GH-18-30R	GH-30RD	GH-30-50R	GH-70R
• Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
• Output Power (kW)	10	15	18-30	30	30-50	70
• Metal Thickness (mm)	0.6	0.6	0.6	0.6	0.6	0.6
• Air Flow (m <sup>3</sup> /h)	580	580	1000	580	1000	1650
• Heating Area (m <sup>2</sup> )	100	150	300	300	500	700
• With ERP	Yes	Yes	Yes	Yes	Yes	Yes



# DIESEL DIRECT HEATER



MODEL	DDH-20TD	DDH-30TD	IDH-20TD	IDH-30TD	RDH-20TD
• Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50
• Output Power (kW)	20	30	20	30	20
• Volume of Fuel Tank (L)	22	38	24	50	15
• Fuel Consumption (kg/h)	1.65	2.4	1.65	2.4	1.6
• Air Flow (m <sup>3</sup> /h)	550	750	600	750	613
• Heating Area (m <sup>2</sup> )	220-300	320-420	N/A	N/A	100-150



# CONVECTOR HEATER



MODEL	C-2000A	C-2000AT
• Power Supply (V/Hz)	230/50	230/50
• Output Power (W)	750/1250/2000	750/1250/2000Turbo
• With Free Stand	Yes	Yes
• With Thermostat Control	Yes	Yes
• Protection Class	N/A	N/A
• Heating Element	Heating wire	Heating wire

# CONVECTOR HEATER (WITH LCD DISPLAY)



MODEL	CD-2300AR/W
• Power Supply (V/Hz)	230/50
• Output Power (W)	1000/1300/2300
• With LCD Display	Yes
• With Turbo Fan And 24 Hours Time	Yes
• Protection Class	N/A
• Heating Element	Heating wire

# CONVECTOR HEATER



---

MODEL	CR-2000-AC	CR-2000D-AC
• Power Supply (V/Hz)	230/50	230/50
• Output Power (W)	1000/2000	1000/2000
• Room Temperature Selection	15-32 degree	15-32 degree
• Protection Class	IPX4	IPX4
• Heating Element	Aluminum	Aluminum

---



# CONVECTOR HEATER



MODEL	C-500-S11	C-1000-S11	C-1500-S11	C-2000-S11	C-2500-S11
• Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50
• Output Power (W)	250/500	500/1000	750/1500	1000/2000	1250/2500
• With Wheels + TCR	Yes	Yes	Yes	Yes	Yes
• Protection Class	IPX4	IPX4	IPX4	IPX4	IPX4
• Heating Element	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum

# CONVECTOR HEATER

(WITH GLASS & WIFI)



MODEL	CD-2000BRW	CD-2000BRWY	CD-2400BRWY
• Power Supply (V/Hz)	230/50	230/50	230/50
• Output Power (W)	1000/2000	1000/2000	1200-2400
• With WiFi-Tuya Function	Yes	Yes	Yes
• 24H Timer With WIFI APP	Yes	Yes	Yes
• Protection Class	IP24	IP24	IP24
• Heating Element	X shape aluminum	X shape aluminum	Fin shape aluminum

# CONVECTOR MICA MANUAL



## MODEL

**CEM-2400Z**

- Power Supply (V/Hz) 230/50
- Output Power (W) 2400
- Adjustable Thermostat Yes
- Overheating Safety Cut-Out Yes
- Energy-Efficient Heat Emission Yes
- Protection Class N/A
- Heating Element MICA

# CONVECTOR MICA WITH RC



## MODEL

**CEM-1800RZ**

- Power Supply (V/Hz) 230/50
- Output Power (W) 1800
- Remote Controller Yes
- Overheating Safety Cut-Out Yes
- Energy-Efficient Heat Emission Yes
- Protection Class N/A
- Heating Element MICA

# DRY ALUMINUM HEATER



---

MODEL	CA-1200DRW	CA-1500DRW	CA-1800DRW
• Power Supply (V/Hz)	230/50	230/50	230/50
• Output Power (W)	1200	1500	1800
• With WiFi-Tuya Function	Yes	Yes	Yes
• LCD Display	Yes	Yes	Yes
• Protection Class	N/A	N/A	N/A

---

# ALUMINIUM CONVECTOR



---

## MODEL

**CA-1500DRWY**

• Power Supply (V/Hz)	230/50
• Output Power (W)	750/1500
• Double Thermal Protector	Yes
• With Memory Function	Yes
• Heating Temperature Setting Range (°C)	5-50
• Protection Class	IP24

---



# OIL HEATER



---

<b>MODEL</b>	<b>OR-9-2000Y</b>	<b>OR-11-2500Y</b>	<b>OR-13-2500Y</b>
• Power Supply (V/Hz)	230/50	230/50	230/50
• Output Power (W)	800/1200/2000	1000/1500/2500	1000/1500/2500
• Size Of Fins (mm)	125x580	125x580	125x580
• Oil Channels	5	5	5
• With Tip Over Switch	Yes	Yes	Yes
• Protection Class	N/A	N/A	N/A

---

# OIL HEATER



---

<b>MODEL</b>	<b>OR-7-1500S</b>	<b>OR-9-2000S</b>	<b>OR-11-2500S</b>
• Power Supply (V/Hz)	230/50	230/50	230/50
• Output Power (W)	600/900/1500	800/1200/2000	1000/1500/2500
• Size Of Fins (mm)	140x590	140x590	140x590
• Adjustable Thermostat	Yes	Yes	Yes
• With Tip Over Switch	Yes	Yes	Yes
• Protection Class	N/A	N/A	N/A

---



# OIL HEATER



---

<b>MODEL</b>	<b>OR-11-2500SF</b>	<b>OR-13-3000SF</b>
• Output Power (W)	1000/1500/2500	1200/1800/3000
• Size Of Fins (mm)	145x590	145x590
• LED Display	Yes	Yes
• Over Heat Protection	Yes	Yes
• Tip Over Switch	Yes	Yes
• Protection Class	N/A	N/A

---




# OUTDOOR RADIANT HEATER GOLDEN TUBE



MODEL	TEH-1500BR	TEH-2000BR	TEH-3000SR
• Power Supply (V/Hz)	230/50	230/50	230/50
• Output Power (W)	500/1000/1500	750/1500/2000	1000/2000/3000
• High Rated Aluminum Reflector	Yes	Yes	Yes
• Remote Control	Yes	Yes	Yes
• ON/OFF Power Control	Yes	Yes	Yes
• Protection Class	IP65	IP65	IP65

# ELECTRIC PATIO HEATER

(WITH WIFI & BODY MOTION SENSOR)



MODEL	TEH-2000CRW	TEH-2400CRW
• Power Supply (V/Hz)	230/50	230/50
• Output Power (W)	2000	2400
• LED Display	Yes	Yes
• With TUYA Smart APP	Yes	Yes
• With Body Sensor	Yes	Yes
• Protection Class	IP65	IP65



# OUTDOOR RADIANT HEATER QUARTZ TUBE



---

<b>MODEL</b>	<b>TRH-2000Q</b>
• Power Supply (V/Hz)	230/50
• Output Power (W)	650/1350/2000
• Heating Element	Three quartz tube
• Exposed Cord Length (m)	1.9
• Pull Switch Control	Yes
• Protection Class	IP34

---

# MUSHROOM STAND PATIO HEATER

(WITH POWER COATED BLACK)



---

MODEL	TMGHSP-13
• Output Power (W)	5000-13000
• Material	Steel with powder coating
• Burner Unit (mm)	278×530
• Total Height (mm)	2200
• Fuel	Propane or Butane gas only
• Flux (g/h)	450-945
• Protection Class	N/A

---

# MUSHROOM STAINLESS PATIO HEATER



---


## MODEL

## TMGHSS-13

- |                     |                                    |
|---------------------|------------------------------------|
| • Output Power (W)  | 5000-13000                         |
| • Material          | Stainless steel                    |
| • Burner Unit (mm)  | 265×600                            |
| • Total Height (mm) | 2210                               |
| • Fuel              | Propane or Butane or their mixture |
| • Flux (g/h)        | 945                                |
| • Protection Class  | N/A                                |
-



# SQUARE STAINLESS PATIO HEATER QUARTZ




## MODEL

## TSGHSP-13Q

• Output Power (W)	5000-13000
• Base (mm)	490*490*25
• Door (mm)	350*468*870(4pcs)
• Total Height (mm)	2200
• Fuel	Propane or Butane or their mixture
• Flux (g/h)	950
• Protection Class	N/A

# SQUARE STAINLESS PATIO HEATER QUARTZ



---

MODEL	TSGHSS-13Q
• Output Power (W)	5000-13000
• Base (mm)	490*490*25
• Door (mm)	350*468*870(4pcs)
• Total Height (mm)	2200
• Fuel	Propane or Butane or their mixture
• Flux (g/h)	950
• Protection Class	N/A

---

 ***ALFA Power***

# **ALFA Power**

## **Your Real Partner in China**



ALFA Power Co., LTD - Your Real Partner in China  
& Ningbo HUARI Enterprise LTD - Together For Success  
Address: Room 1701, Zijinghui Building,  
No. 371 Haiyan North Road, Yinzhou District, Ningbo, China.  
Tel.: (+86)574-27962928  
Fax: (+86)574-27962829  
E-mail: [dc@alfa-power.com](mailto:dc@alfa-power.com) [irene@alfa-power.com](mailto:irene@alfa-power.com)  
Web: [www.alfa-power.com](http://www.alfa-power.com)