



# ALFA Power

Your Real Partner in China



 ***ALFA Power***

# Content

ROTARY HAMMER -----	3	DUAL ACTION POLISHER -----	16
VERTICAL ROTARY HAMMER -----	4	JIG SAW -----	17
DEMOLATION HAMMER -----	5	CIRCULAR SAW -----	18
IMPACT DRILL -----	6-7	RECIPROCATING SAW -----	19
ELECTRIC SCREWDRIVER -----	8	MULTITOOL -----	20
ELECTRIC MIXER -----	9	ELECTRIC NIBBLER -----	21
WALL CHASER -----	10	HEAT GUN -----	22
DRY WALL SANDER -----	11	WELDING MACHINE FOR PPR -----	23
ANGLE GRINDER -----	12-14	TESTING PUMP FOR PPR SYSTEM -----	24
CAR POLISHER -----	15	WALLPAPER STRIPPER -----	24

# ROTARY HAMMER



MODEL	RH-800AB	RH-800QAB	RH-850AB	RH-1000MQ	RH-1050DA
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50
Input Power (W)	800	800	850	1000	1050
Impact Power (J)	2.8	3.0	3.2	3.3	3.0
Impact Rate (imp/min)	4700	4000	5100	4900	5100
Safety Clutch System Torque Power (Nm)	25-40	25-40	25-40	25-40	18.2-62
No-Load Speed (rot/min)	0-1050	0-1100	0-1300	0-1100	0-1150
Drilling Capacity: Concrete/Steel/Wood	26/13/30	26/13/30	28/13/30	32/13/30	26/13/40
Chuck Type	SDS PLUS	SDS PLUS, Quick*	SDS PLUS	SDS PLUS, Quick*	SDS PLUS

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# VERTICAL ROTARY HAMMER



MODEL	VRH-1050DA1	VRH-1050DA	VRH-1300CDA	VRH-1500DA	VRH-1500CDA	VRHM-1600DA
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
Input Power (W)	1050	1050	1300	1500	1500	1600
Impact Power (J)	4.0	4.5	4.8	5.5	5.5	10.0
Impact Rate (imp/min)	4000	4800	4200	4250	4250	3800
Safety Clutch System Torque Power (Nm)	37.3-68	30.7-64	33.9-64	28.8-72	28.8-72	58-80
No-Load Speed (rot/min)	0-850	0-1050	0-850	0-920	0-920	0-630
Drilling Capacity: Concrete/Steel/Wood	26/13/40	26/13/42	30/13/42	32/13/42	32/13/42	42/*/*
Chuck Type	SDS PLUS	SDS PLUS	SDS PLUS	SDS PLUS	SDS PLUS	SDS MAX

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# DEMOLITION HAMMER



MODEL	DHM-1300-15DA	DHM-1700-45DA	DHM-1700-55DA
Power Supply (V/Hz)	230/50	230/50	230/50
Input Power (W)	1300	1700	1700
Impact Power (J)	15	45	55
Impact Rate (imp/min)	4100	200-2100	1900
Including Accessories	Yes	Yes	Yes
Chuck Type	SDS MAX	SDS MAX	HEX GAN

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# IMPACT DRILL



MODEL	ID-650KB-AZ	ID-600KB-AT	ID-710-AZ	ID-710-AZ1	ID-720K	ID-650DA
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
Input Power (W)	650	600	710	710	720	650
No-Load Speed (rot/min)	0-3000	0-3000	0-3000	0-3000	0-3000	0-3000
Impact Rate (imp/min)	48000	48000	48000	48000	48000	48000
Chuck Diam. (mm)	1.0-13	1.0-13	1.0-13	1.0-13	1.0-13	1.0-13
Chuck Type	Keyless	Keyless	Key	Key	Key	Key

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# IMPACT DRILL



MODEL	ID-650Y	ID-710Y	ID-850Y	ID-850DA	ID-1050-2Y	ID-1050-2DA
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
Input Power (W)	650	710	850	850	1050	1050
No-Load Speed (rot/min)	0-3000	0-3000	0-3000	0-3000	0-1100/ 0-3000	0-1100/ 0-3000
Impact Rate (imp/min)	48000	48000	48000	48000	19200/48000	19200/48000
Chuck Diam. (mm)	1.0-13	1.0-13	1.0-13	1.0-13	1.0-13	1.0-13
Chuck Type	Key	Key	Key	Key	Key	Key

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)



# ELECTRIC SCREW DRIVER



MODEL	ESD-300-AG	ESD-300NB-AG	ESD-300AX	ESD-300QC-AX
Power Supply (V/Hz)	230/50	230/50	230/50	230/50
Input Power (W)	300	300	300	300
No-Load Speed (rot/min)	0-800	0-400/ 0-1600	0-400/ 0-1600	0-400/ 0-1600
Torque Settings	21+1	23+1	23+1	23+1
Torque Power (Nm)	19	35	40	40
Chuck Type	Keyless	Keyless	Keyless	Keyless, Quick*

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# ELECTRIC MIXER



MODEL	EM-11-120-DA	EM12-120-DA	EM16-160-DA	EM12-160-PDA
Power Supply (V/Hz)	230/50	230/50	230/50	230/50
Input Power (W)	1050	1200	1600	1600
Input Current (A)	4.6	5.2	7.0	7.0
No-Load Speed (rot/min)	0-580	0-800	180-460/ 300-750	200-480/ 250-680
Connection of Paddle	M14*2	M14*2	M14*2	Toolless quick connection
Diameter of Paddle (mm)	120	120	160	120

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# WALL CHASER



MODEL	WC-15-125AL	WC-17-150AB
Power Supply (V/Hz)	230/50	230/50
Input Power (W)	1500	1700
Input Current (A)	6.5	7.4
No-Load Speed (rot/min)	8500	4500
Blade (mm)	125x22mm .22*2pcs	150x22mm 22*2pcs
Cut Depth (mm)	5-29	0-45
Cut Width (mm)	8-30	14/24/34/44

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# DRY WALL SANDER



MODEL	DWS-710DA	DWS-1050SS-DA	DWS-820-DA
Power Supply (V/Hz)	230/50	230/50	230/50
Input Power (W)	710	1050	820
No-Load Speed (rot/min)	600-1500	600-2600	600-1900
Soft Start	Yes	Yes	Yes
Grinding Pad Diameter (mm)	215	215	215
Sandpaper Diameter (mm)	225	225	225
Short-Length (cm)	110	110	N/A
Long-Length (cm)	165	165	N/A

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# ANGLE GRINDER



MODEL	AG-7-125-AB	AG-85-125-QD	AG-9-125-SAB	AG-9-125-AK	AG-9-125QW
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50
Input Power (W)	710	850	900	900	900
Input Current (A)	3.1	3.7	3.9	3.9	3.9
Soft Start	N/A	N/A	N/A	N/A	N/A
No-Load Speed (rot/min)	12000	12000	12000	12000	12000
Disc Diameter (mm)	125*22,24	125*22,24	125*22,24	125*22,24	125*22,24

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# ANGLE GRINDER



MODEL	AG-12-125SQW	AG-12-125-SQD	AG-12-125-SQLD
Power Supply (V/Hz)	230/50	230/50	230/50
Input Power (W)	1200	1200	1200
Input Current (A)	5.2	5.2	5.2
Soft Start	N/A	N/A	N/A
No-Load Speed (rot/min)	12000	12000	12000
Disc Diameter (mm)	125*22,24	125*22,24	125*22,24

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# ANGLE GRINDER



MODEL	AG-20-230SQD	AG-22-230SQD	AG-23-230SQD	AG-23-230SQW
Power Supply (V/Hz)	230/50	230/50	230/50	230/50
Input Power (W)	2000	2200	2350	2350
Input Current (A)	8.7	9.6	10.2	10.2
Soft Start	✓	✓	✓	✓
No-Load Speed (rot/min)	6500	6500	6500	6500
Rotating Handle	✓	✓	✓	✓
Disc Diameter (mm)	230*22,24	230*22,24	230*22,24	230*22,24

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# CAR POLISHER



MODEL	CP-1200-1G	CP-1200-1DG	CP-1200-5G	CP-1400-7G	CP-1100-AD	CP-1200-AD
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
Input Power (W)	1200	1200	1200	1400	1100	1200
Input Current (A)	5.2	5.2	5.2	6.1	4.8	5.2
Soft Start	Yes	Yes	Yes	Yes	Yes	Yes
No-Load Speed (rot/min)	800 - 3600	1000-3000	500-3500	600-3000	1000-3000	600-3300
Poisher Pad Diam (mm)	150/ 180	150/ 180	150/ 180	180	150/ 180	150/ 180

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)



# DUAL ACTION POLISHER



MODEL	DAP-650-G	DAO-900-G	DAP-1050-G	DAP-710-AD	DAP-720-AD
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50
Input Power (W)	650	900	1050	710	720
Input Current (A)	2.8	3.9	4.6	3.1	3.1
Soft Start	Yes	Yes	Yes	Yes	Yes
No-Load Speed (rot/min)	2000-6800	2000-6400	1400-4800	2000-4600	2100-5000
Oscillating Distance (mm)	9	9	15	10	21
Poisher Pad Diam (mm)	125	150	150	100	150

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# JIG SAW



MODEL	JS-610-7AZ	JS-650-7AZ	JS-850-10LAZ	JS-570-6AX	JS-710-8AX	JS-800-10LAX
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50	230/50
Input Power (W)	610	650	850	570	710	800
Input Current (A)	2.6	2.8	3.7	2.5	3.1	3.5
No-Load Speed (rot/min)	0-3000	0-3000	0-3000	800-3000	500-3000	800-3000
Max Cutting Depth (Wood/Metal,mm)	65/6	65/6	80/8	65/6	80/10	100/10
Change Blade	Key	Key	Key	Key	Key	Key
Laser Guide	N/A	N/A	✓	N/A	N/A	✓

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# CIRCULAR SAW



MODEL	CS-1200-AT	CS-1200-AX	CS-15-190AX
Power Supply (V/Hz)	230/50	230/50	230/50
Input Power (W)	1200	1200	1500
Input Current (A)	5.2	5.2	6.5
No-Load Speed (rot/min)	4500	4700	4700
Disc Diameter (mm)	185*20*24Z	185*20*24Z	190*20*24Z
Max Cutting Depth:90°	65	65	65

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# RECIPROCATING SAW



MODEL	RS-710-22Z	RS-800-20G	RS-750-30B	RS-710-20C	RS-850-28C
Power Supply (V/Hz)	230/50	230/50	230/50	230/50	230/50
Input Power (W)	710	800	750	710	850
Input Current (A)	3.1	3.5	3.3	3.1	3.7
No-Load Speed (rot/min)	0-3000	0-2800	0-2800	0-2800	0-2800
Stroke Length (mm)	22	20	30	20	28
Metal Cutting Capacity (mm)	6	5	6	60	60
Wood Cutting Capacity (mm)	115	115	115	105	105

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# MULTITOOL



MODEL	MT-220-AW	MT-330S-AW	MT-400S-AG
Power Supply (V/Hz)	230/50	230/50	230/50
Input Power (W)	220	300	400
Input Current (A)	1.0	1.3	1.7
No-Load Speed (rot/min)	21000	15000-22000	15000-22000
Wheel Diameter (mm)	80	80	82/92
Cutting Thickness (Steel,mm)	N/A	N/A	N/A

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# ELECTRIC NIBBLER



MODEL	EN-380-AP1	EN-380-AP2
Power Supply (V/Hz)	230/50	230/50
Input Power (W)	380	380
Input Current (A)	1.7	1.7
No-Load Speed (rot/min)	30000	30000
Output Speed (rot/min)	1700	1700
Steel (mm)	0.5-1.8	0.5-1.8
Stainless Steel (Steel,mm)	0.5-1.2	0.5-1.2

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# HEAT GUN



MODEL	HGG-2000-2	HGG-2000R	HGG-2000D
Power Supply (V/Hz)	230/50	230/50	230/50
Input Power (W)	1000/2000	2000	2000
Temperature (°C)	350/550	50/50-550/50-550	50/70-600
Air Flow	300/500 l/min	350/350/500 l/min	350/350/500 l/min
With Accessories	Yes	Yes	Yes

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

# WELDING MACHINE FOR PPR



MODEL	WM-1500PPR-C	WM-2000PPR-C
Power Supply (V/Hz)	230/50	230/50
Input Power (W)	1500	2000
Input Current (A)	6.5	8.7
Welding Sockets, $\varnothing$ (mm)	20/ 25/ 32/ 40/ 50/ 63	20/ 25/ 32/ 40/ 50/ 63
Sockets Weight (g)	740	740
Working Temperature ( $^{\circ}$ C)	300	300 - 350

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)



## TESTING PUMPFOR PPR SYSTEM



MODEL	TPP-40L	TPP-50L
Pump Material	Aluminum	Aluminum & Copper
Material of Tank	metal & thickness 0.9mm	metal & thickness 1.2mm
Piston (ml/time)	30	40
Max Pressure (MPa)	4.0	5.0
Hose Length (cm)	90	150
Hose material	rubber/ airhose	rubber/ airhose

## Wallpapper Stripper



MODEL	WPS-22-5AB
Power Supply (V/Hz)	230/50
Input Power (W)	1850-2200
Pad Size (cm)	28*20
Flexible Hose Length (cm)	3
Boiler Capacity (L)	4.5
Steam Timer (min)	70

[WWW.ALFA-POWER.COM](http://WWW.ALFA-POWER.COM)

 ***ALFA Power***

# **ALFA Power**

**Your Real Partner in China**



ALFA Power Co., LTD - Your Real Partner in China  
& Ningbo HUARI Enterprise LTD - Together For Success  
Address: Room 1701, Zijinghui Building,  
No. 371 Haiyan North Road, Yinzhou District, Ningbo, China.  
Tel.: (+86)574-27962928  
Fax: (+86)574-27962829  
E-mail: [dc@alfa-power.com](mailto:dc@alfa-power.com) [irene@alfa-power.com](mailto:irene@alfa-power.com)  
Web: [www.alfa-power.com](http://www.alfa-power.com)